


## PUMPJACK BELT GUARDS

### DESCRIPTION

- Retro-fit old & new pumpjacks with this guard on motor drive end.
- Protects people from intrusion of running belts.
- Protects belts from the elements, increasing belt life.

### FEATURES

- Lightweight and User Friendly
- Includes mounting baseplate and hardware
- Unique design increases structural integrity
- “Quik-Mount” pin pocket system allows easy guard removal
- Body made of durable HDPE plastic.
- Able withstand temperatures of 70° Celsius



## 2 SIZES AVAILABLE

### 1.2m (48") Belt Guard

- mostly used on Electric / High Mount motor configurations and some smaller gas engines.
- Measures 1.2m (48") high x .96m (38") long x .2m (8") inside width.

### 1.4m (56") Belt Guard

- mostly used on the larger Gas Engine configurations and those with jackshafts.
- Measures 1.4m (56") high x 1.37m (54") long x .27m (10-1/2") inside width.

## WAX BINS

### DESCRIPTION

- Used on lease sites throughout the Oil & Gas industry for capturing various “debris” and “pigs” while lines are cleared from blockage.
- Can also be used as a Vent Line Box or Catch Tray
- Ensures harmful substances never land on the ground.

### FEATURES

- Design incorporates a fluid collection area
- An expanded metal screen facilitates “pig” Retrieval
- Steel legs are *adjustable* w/ locking screws
- Body and Lid made of HDPE plastic. NO RUSTING!
- Includes a S/S Bulkhead fitting and drain plug.

### 2 sizes available:

610mm (24”) x 610mm (24”) w/ 26 us gal(100L) cap.  
 610mm (24”) x 914mm (36”) w/ 47 us gal(180L) cap.



**TESTED:** Wax Bins have been empirically tested at 70° Celsius with a load of 45 kg (100 Lbs.)

## PIPE CONES

### DESCRIPTION

- Used to support pipe during Pipeline Construction or during Service Applications.

### FEATURES

- Supports 50mm (2”) to 219mm (8”) Pipe
- 533mm (21”) high and 610mm (24”) dia. base
- Stackable
- Lightweight , yet durable HDPE plastic



### TESTED:


Pipe Cones are Load Test Certified and have been empirically tested at 70° Celsius with a load of 455 kg (1000 Lbs.)



## PIPE SUPPORT TRAY

### DESCRIPTION:

- Supports all pipe up to 273mm (10-3/4") in diameter
- Accommodates majority of hammer unions and toggle clamps
- Contains oil from leaky connections and lubricants used on hammer unions.
- Keeps lines off the ground and out of the muck!
- Ideal for flare and degasser lines on drilling sites



### FEATURES:

- Size 660mm x 660mm x 330mm high (26" x 26" x 13" high)
- Lightweight & Portable — only 7.73kg (17lbs) ea
- Durable — HDPE plastic
- Stackable



### TESTED:

Pipe Support Trays have been empirically tested at 70° Celsius with a load of 455 kg (1000 Lbs.)

## INDUSTRIAL CAN

### DESCRIPTION

- An industrial sized can suitable for heavy duty applications to store materials and waste.

### FEATURES

- 1m (42") tall, .77m (30") x .93m (36") lid
- 330L (87 US gal) capacity
- Industrial rubber wheels w/ 19mm (3/4") axle
- Lightweight, yet durable HDPE
- Able withstand 70° Celsius



## CUSTOM MOULDING

**If you have a product that you would like to produce in quantity, we can help. We can help you design your product and/or take your existing design to produce a mold used for rotational molding. Give us a call for more info.**

# CONTACT INFORMATION

## *Canada Contacts*

### **RIDE International**

**5524 - 53 Avenue  
PO Box 6213  
Drayton Valley, Alberta  
Canada T7A 1S4**

phone: 780-621-1570  
fax: 780-621-1531

**Paul Smith**  
President  
780-621-7424

**Joe Hak**  
International Sales  
587-991-7433

**Darrel Boulter**  
Marketing & Sales  
780-542-0258

**Greg Hartman**  
Sales  
780-898-6425

## *International Contacts*

### **Barik Group**

P.O. Box: 637, Postal Code: 116  
Mina Al Fahal, Sultanate of Oman.

phone: +968 24476173  
fax: : +968 24486367

Office Location:  
Al Khuwair, Al Khuliya Street,  
Opp. Zakher Mall, Building No. 13

**Juma Ali**  
Managing Director

**Shamsheer Ahmed**  
Engineering & Business Development

Email: [barik@omantel.net.om](mailto:barik@omantel.net.om),  
[Ride.Sales.oman@barikgroup.com](mailto:Ride.Sales.oman@barikgroup.com)

Website: [www.barikgroup.com](http://www.barikgroup.com)